

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works).—

(a) 125.

(b) Since November 1956.

(c) Estimates have been prepared and sanction communicated wherever it is found economical.

Sri V. SRINIVASA SHETTY.—For how many pumps have estimates been prepared?

\*Sri H. K. VEERANNA GOWDH.—Estimates for arranging power to 47 applications.

Sri V. SRINIVASA SHETTY.—Were estimates prepared?

Sri H. K. VEERANNA GOWDH.—Yes, for 47 applications.

Sri V. SRINIVASA SHETTY.—How many have been sanctioned and sanction communicated?

Sri H. K. VEERANNA GOWDH.—I have said 47 applications have been sanctioned. If you want to have more details about the number of sets, I can give you village-wise.

Sri V. SRINIVASA SHETTY.—How many pumps have been installed till now?

Sri H. K. VEERANNA GOWDH.—I want notice for that.

Sri V. SRINIVASA SHETTY.—Have any pumps been installed?

Sri H. K. VEERANNA GOWDH.—Anyhow, sanction has been accorded for 47 applications.

Sri T. HANUMIAH.—What about my question?

Sri C. J. MUCKANNAPPA.—I submit to the Chair that Sri T. Hanumiah came with me and even till the question hour was over he was not present in the House. The same is the case with Sri Narasimhan. If the Hon'ble Chair were to allow Sri T. Hanumiah to put question, I request the Chair to allow Sri Narasimhan also to put the question.

ಶ್ರೀ ಬಿ. ಹನುಮಯ್ಯ.—ಅವರ ಜೊತೆ ನಾನು ಹೋಗಲೇ ಇಲ್ಲ.

Mr. SPEAKER.—Every Hon'ble Member is expected to tell the truth and since Sri Hanumiah says that he was present and another Hon'ble Member is contradicting him. I have to hold the balance and I hold the balance in favour of Sri Hanumiah and allow him to put the question.

Widening the bund of Varthur Tank.

Q.—835. Sri B. BASAVALINGAPPA (Bangalore South—S. C.).—

Will the Government be pleased to state:—

(a) whether they have taken action to widen the bund of the Varthur tank, Bangalore South Taluk, and to put guard stones along the bund;

(b) the number of yearly casualties on account of the narrow road on the bund?

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works).—

(a) Yes.

(b) No casualties are reported for the past three years.

Sri B. BASAVALINGAPPA.—May I know the estimated cost of completing the work?

\*ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—2,170 ರೂಪಾಯಿ ಗಳಿಗೆ ಹಿಡೆ ಸ್ಯಾಕ್ಟನ್ ಆಗಿತ್ತು. ಆದರೆ ಅದು ಸಾಲಲಿಲ್ಲ. ಸ್ವಲ್ಪ ಭಾಗವನ್ನು ಮಾಡಿದೆ; ಇನ್ನೂ ಮಾಡಬೇಕಾಗಿದೆ. ಎಸ್.ಮೇಟ್ ಇಲ್ಲ.

Sri B. BASAVALINGAPPA.—May I know the length of the bund?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಒಂದು ಮೈಲಿ ಅರ್ಧ ಫ಼ಾಂಗ್.

Sri B. BASAVALINGAPPA.—May I know when the Government contemplate to complete the work?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಇದರಲ್ಲಿ ಸ್ವಲ್ಪ ತೊಂದರೆ ಏನಾಗಿದೆ ಎಂದರೆ ಎರಡು ಮೂರು ಸಾವಿ ಪ್ರಯತ್ನ ಪಟ್ಟರೂ ಕಂಟ್ರಾಕ್ಟ್ ನಿಕ್ಕುವುದು ಕಷ್ಟ, ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರೇ ಮಾಡಿಸಿ ಎಂದು ಹೇಳಿದ್ದೇವೆ. ಇದು ಮುಖ್ಯವಾದ ರಸ್ತೆಯಾಗಿರುವುದರಿಂದ, ಡೊಂಕು ಡೊಂಕು ರಸ್ತೆಯಾಗಿರುವುದರಿಂದ ನಿಧಾನ ಮಾಡುವ ಕಂಟ್ರಾಕ್ಟರು ನಿಕ್ಕದೆ ಇದ್ದರೆ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರೇ ಮಾಡಬೇಕು ಎಂದು ತೀರ್ಮಾನ ಮಾಡಿದ್ದೇವೆ. ಈ ರೀತಿ ಸ್ಥಳದ ಅಧಿಕಾರಿಗಳಿಗೆ ಹೇಳಲಾಗಿದೆ.

Names of Roads entrusted to District Board Administration.

Q.—180. Sri B. S. SHANKARAPPA (Hosadurga).—

Will the Government be pleased to state:—

(a) the names of roads handed over to the District Board at the time